

## **Scientific production 2006-2013**

**Alessandro DESIDERI**

### **2013**

Zinc ion coordination as a modulating factor of the ZnuA histidine-rich loop flexibility: a molecular modeling and fluorescence spectroscopy study.

Castelli S, Stella L, Petrarca P, Battistoni A, Desideri A, Falconi M.  
Biochem Biophys Res Commun. 2013 Jan 11;430(2):769-73

Binding of an Indenoisoquinoline to the topoisomerase-DNA complex induces reduction of linker mobility and strengthening of protein-DNA interaction.

Mancini G, D'Annessa I, Coletta A, Chillemi G, Pommier Y, Cushman M, Desideri A.  
PLoS One. 2012;7(12):e51354

A derivative of the natural compound kakuol affects DNA relaxation of topoisomerase IB inhibiting the cleavage reaction.

Castelli S, Vieira S, D'Annessa I, Katkar P, Musso L, Dallavalle S, Desideri A.  
Arch Biochem Biophys. 2013 Feb 1;530(1):7-12..

A small organic compound enhances the religation reaction of human topoisomerase I and identifies crucial elements for the religation mechanism.

Arnò B, Coletta A, Tesauro C, Zuccaro L, Fiorani P, Lentini S, Galloni P, Conte V, Floris B, Desideri A.  
Biosci Rep. 2013 Jan 31.

Role of human topoisomerase IB on ionizing radiation induced damage.

Jahan Z, Castelli S, Aversa G, Rufini S, Desideri A, Giovanetti A.  
Biochem Biophys Res Commun. 2013 Mar 15;432(3):545-8.

Gimatecan and other camptothecin derivatives poison Leishmania DNA-topoisomerase IB leading to a strong leishmanicidal effect.

Prada CF, Alvarez-Velilla R, Balaña-Fouce R, Prieto C, Calvo-Álvarez E, Escudero- Martínez JM, Requena JM, Ordóñez C, Desideri A, Pérez-Pertejo Y, Reguera RM.  
Biochem Pharmacol. 2013 May 15;85(10):1433-40.

### **2012**

Carbon monoxide binding to the heme group at the dimeric interface modulates structure and copper accessibility in the Cu,Zn superoxide dismutase from Haemophilus ducreyi: in silico and in vitro evidences

Chillemi G, De Santis S, Falconi M, Mancini G, Migliorati V, Battistoni A, Pacello F, Desideri A, D'Angelo P.

JOURNAL OF BIOMOLECULAR STRUCTURE & DYNAMICS, 2012 30(3):269-79.

Importance of V3 Loop Flexibility and Net Charge in the Context of Co-Receptor Recognition. A Molecular Dynamics Study on HIV gp120.

Balasubramanian C, Chillemi G, Abbate I, Capobianchi MR, Rozera G, Desideri A  
JOURNAL OF BIOMOLECULAR STRUCTURE & DYNAMICS, 2012 vol. 29, p. 1-13,

Sticholysin II: A pore-forming toxin as a probe to recognize sphingomyelin in artificial and cellular membranes..

Garcia PS, Chieppa G, Desideri A, Cannata S, Romano E, Luly P, Rufini S.  
Toxicol. 2012 Oct;60(5):724-33

A Natural Anticancer Agent Thaspine Targets Human Topoisomerase IB.

Castelli S, Katkar P, Vassallo O, Falconi M, Linder S, Desideri A.  
Anticancer Agents Med Chem. 2012 Aug 24

Structural dynamics of V3 loop with different electrostatics: implications on co-receptor recognition: a molecular dynamics study of HIV gp120.

Chandramouli B, Chillemi G, Giombini E, Capobianchi MR, Rozera G, Desideri A.  
J Biomol Struct Dyn. 2012

Role of Flexibility in Protein-DNA-Drug Recognition: The Case of Asp677Gly-Val703Ile Topoisomerase Mutant Hypersensitive to Camptothecin.

D'Annessa I, Tesauro C, Fiorani P, Chillemi G, Castelli S, Vassallo O, Capranico G, Desideri A.  
J Amino Acids. 2012;2012:206083. Epub 2012 Jan

Zinc ion coordination as a modulating factor of the ZnuA histidine-rich loop flexibility: A molecular modeling and fluorescence spectroscopy study.

Castelli S, Stella L, Petrarca P, Battistoni A, Desideri A, Falconi M.  
Biochem Biophys Res Commun. 2012 Dec 1.

**Droplet microfluidics platform for highly sensitive and quantitative detection of malaria-causing Plasmodium parasites based on enzyme activity measurement.**  
**Juul S, Nielsen CJ, Labouriau R, Roy A, Tesauro C, Jensen PW, Harmsen C, Kristoffersen EL, Chiu YL, Frøhlich R, Fiorani P, Cox-Singh J, Tordrup D, Koch J, Bienvenu AL, Desideri A, Picot S, Petersen E, Leong KW, Ho YP, Stougaard M, Knudsen BR.**  
**ACS Nano. 2012 Dec 21;6(12):10676-83.**

Interaction between natural compounds and human topoisomerase I.

Castelli S, Coletta A, D'Annessa I, Fiorani P, Tesauro C, Desideri A.  
Biol Chem. 2012 Nov;393(11):1327-40.

Specific detection of topoisomerase I from the malaria causing P. falciparum parasite using isothermal rolling circle amplification.

Tesauro C, Juul S, Arnò B, Nielsen CJ, Fiorani P, Frøhlich RF, Andersen FF, Desideri A, Stougaard M, Petersen E, Knudsen BR.

Conf Proc IEEE Eng Med Biol Soc. 2012;2012:2416-9.

## **2011**

ATP independent type IB topoisomerase of *Leishmania donovani* is stimulated by ATP: an insight into the functional mechanism

SENGUPTA S, GANGULY A, ROY A, BOSEDASGUPTA S, D'ANNESSA I, DESIDERI A, MAJUMDER HK

NUCLEIC ACIDS RESEARCH 2011, vol. 39, p. 3295-3309,

Development of Derivatives of 3, 3'-Diindolylmethane as Potent *Leishmania donovani* Bi-Subunit Topoisomerase IB Poisons.

Roy A, Chowdhury S, Sengupta S, Mandal M, Jaisankar P, D'Annessa I, Desideri A, Majumder HK.

PLoS One. 2011;6(12):e28493. Epub 2011 Dec 12.

Peptide Inhibition of Topoisomerase IB from *Plasmodium falciparum*.

Roy A, D'Annessa I, Nielsen CJ, Tordrup D, Laursen RR, Knudsen BR, Desideri A, Andersen FF.

Mol Biol Int. 2011;2011:854626. Epub 2011 May 4.

Inhibition of human DNA topoisomerase IB by a Cyclometalated Gold III compound: Analysis on the different steps of the enzyme catalytic cycle.

Castelli S, Vassallo O, Katkar P, Che CM, Sun RW, Desideri A.

Arch Biochem Biophys. 2011 Oct 19. [Epub ahead of print]

The sterile alpha-motif (SAM) domain of p63 binds in vitro monoasialoganglioside (GM1) micelles.

Rufini S, Lena AM, Cadot B, Mele S, Amelio I, Terrinoni A, Desideri A, Melino G, Candi E.

Biochem Pharmacol. 2011 Nov 15;82(10):1262-8. Epub 2011 Jul 27.

Targeting Tumor Cells through Chitosan-Folate Modified Microcapsules Loaded with Camptothecin.

Galbiati A, Tabolacci C, Morozzo Della Rocca B, Mattioli P, Beninati S, Paradossi G, Desideri A

Bioconjug Chem. 2011 May 18. [Epub ahead of print]

Characterization of a novel CYP2C9 gene mutation and structural bioinformatic protein analysis in a warfarin hypersensitive patient.

Ciccacci C, Falconi M, Paolillo N, Oteri F, Forte V, Novelli G, Desideri A, Borgiani P.

Pharmacogenet Genomics. 2011 Jun;21(6):344-6.

Structural-dynamical investigation of the ZnuA histidine-rich loop: involvement in zinc management and transport.

Falconi M, Oteri F, Di Palma F, Pandey S, Battistoni A, Desideri A.

J Comput Aided Mol Des. 2011 Feb;25(2):181-94.

ATP independent type IB topoisomerase of *Leishmania donovani* is stimulated by ATP: an insight into the functional mechanism.

Sengupta S, Ganguly A, Roy A, Bosedasgupta S, D'Annessa I, Desideri A, Majumder HK. *Nucleic Acids Res.* 2011 Apr 1;39(8):3295-309.

Detection of quasispecies variants predicted to use CXCR4 by ultra-deep pyrosequencing during early HIV infection.

Abbate I, Vlassi C, Rozera G, Bruxelles A, Bartolini B, Giombini E, Corpolongo A, D'Offizi G, Narciso P, Desideri A, Ippolito G, Capobianchi MR. *AIDS.* 2011 Mar 13;25(5):611-7.

## **2010**

Sampling the structure of the noncanonical lin-4:lin-14 microRNA:mRNA complex by molecular dynamics simulations.

Balasubramanian C, Ojha RP, Maiti S, Desideri A. *J Phys Chem B.* 2010 Dec 16;114(49):16443-9.

Evidences of a natively unfolded state for the human topoisomerase IB N terminal domain.

Vassallo O, Castelli S, D'Annessa I, Della Rocca BM, Stella L, Knudsen BR, Desideri A. *Amino Acids.* 2010 Nov 3. [Epub ahead of print]

Hif1 $\alpha$  down-regulation is associated with transposition of great arteries in mice treated with a retinoic acid antagonist.

Amati F, Diano L, Campagnolo L, Vecchione L, Cipollone D, Bueno S, Prosperini G, Desideri A, Siracusa G, Chillemi G, Marino B, Novelli G. *BMC Genomics.* 2010 Sep 16;11:497

Assignment of UV-vis Spectrum of (3,3')-Diindolylmethane, a *Leishmania donovani* Topoisomerase IB Inhibitor and a Candidate DNA Minor Groove Binder.

Coletta A, Morozzo Della Rocca B, Jaisankar P, Majumder HK, Chillemi G, Sanna N, Desideri A. *J Phys Chem A.* 2010 Jun 15. [Epub ahead of print]

Structural and dynamical effects induced by the anticancer drug topotecan on the human topoisomerase I - DNA complex.

Mancini G, D'Annessa I, Coletta A, Sanna N, Chillemi G, Desideri A. *PLoS One.* 2010 Jun 3;5(6):e10934.

Solvent Effects on the Valence UV-Vis Absorption Spectra of Topotecan Anticancer Drug in Aqueous Solution at Room Temperature: A Nanoseconds Time-scale TD-DFT/MD Computational Study

Zazza C., Coletta A., Sanna N., Mancini G., Desideri A. and Chillemi G. *J. Phys. Chem B* 2010 May 27;114(20):6770-8

An amber compatible molecular mechanics force field for the anticancer drug topotecan

Giovanni Chillemi, Andrea Coletta, Giordano Mancini, Nico Sanna and Alessandro Desideri  
Theor. Chem. Acc. (2010) 127:293–302.

Fe-heme structure in Cu,Zn superoxide dismutase from Haemophilus ducreyi by X-ray Absorption Spectroscopy.

D'Angelo P, Zitolo A, Pacello F, Mancini G, Proux O, Hazemann JL, Desideri A, Battistoni A.  
Arch Biochem Biophys. 2010 Jun 1;498(1):43-9.

**Structure of nanoscale truncated octahedral DNA cages: variation of single-stranded linker regions and influence on assembly yields.**

**Oliveira CL, Juul S, Jørgensen HL, Knudsen B, Tordrup D, Oteri F, Falconi M, Koch J, Desideri A, Pedersen JS, Andersen FF, Knudsen BR.  
ACS Nano. 2010 Mar 23;4(3):1367-76.**

Erybraedin C, a natural compound from the plant Bituminaria bituminosa, inhibits both the cleavage and religation activities of human topoisomerase I.

Tesauro C, Fiorani P, D'Annessa I, Chillemi G, Turchi G, Desideri A.  
Biochem J. (2010 ), 425, 531-9

## 2009

**Evidence of the crucial role of the linker domain on the catalytic activity of human topoisomerase I by experimental and simulative characterization of the Lys681Ala mutant.**

**Fiorani P, Tesauro C, Mancini G, Chillemi G, D'annessa I, Graziani G, Tentori L, Muzi A, Desideri A.  
Nucleic Acids Research, 2009, 37, 6849-58**

**Deciphering the structural properties that confer stability to a DNA nanocage.**

**Falconi M, Oteri F, Chillemi G, Andersen FF, Tordrup D, Oliveira CL, Pedersen JS, Knudsen BR, Desideri A.  
ACS Nano. 2009 Jul 28;3(7):1813-22.**

Functional analysis and molecular dynamics simulation of LOX-1 K167N polymorphism reveal alteration of receptor activity.

Biocca S, Falconi M, Filesi I, Baldini F, Vecchione L, Mango R, Romeo F, Federici G, Desideri A., Novelli G  
PLOS ONE, (2009) vol. 4; p. e4648.

Synergistic antitumor effect between vorinostat and topotecan in small cell lung cancer cells is mediated by generation of reactive oxygen species and DNA damage-induced apoptosis.

Bruzzese F, Rocco M, Castelli S, Di Gennaro E, Desideri A., Budillon A.  
Mol Cancer Ther. 2009 Nov;8(11):3075-87.

10-undecanhydroxamic acid, a hydroxamate derivative of the undecanoic acid, has strong antimicrobial activity through a mechanism that limits iron availability.

Ammendola S, Lembo A, Battistoni A, Tagliatesta P, Ghisalberti C, Desideri A.  
FEMS Microbiol Lett. 2009 May;294(1):61-7.

UV-vis spectra of the anticancer camptothecin family drugs in aqueous solution: specific spectroscopic signatures unraveled by a combined computational and experimental study.  
Sanna N, Chillemi G, Gontrani L, Grandi A, Mancini G, Castelli S, Zagotto G, Zazza C, Barone V, Desideri A.

J Phys Chem B. 2009 Apr 23;113(16):5369-75

Functional analysis and molecular dynamics simulation of LOX-1 K167N polymorphism reveal alteration of receptor activity.

Biocca S, Falconi M, Filesi I, Baldini F, Vecchione L, Mango R, Romeo F, Federici G, Desideri A, Novelli G.

PLoS One. 2009;4(2):e4648.

## 2008

**Thr729 in human topoisomerase I modulates anti-cancer drug resistance by altering protein domain communications as suggested by molecular dynamics simulations.**

**CHILLEMI G, D'ANNESSA I, FIORANI P, LOSASSO C, BENEDETTI P, DESIDERI A  
NUCLEIC ACIDS RESEARCH, 2008 vol. 36, p. 5645-5651**

Structural-dynamical properties of the transmembrane segment VI of the mitochondrial oxoglutarate carrier studied by site directed spin-labeling.

LAURIA G, SANCHEZ P, DELLA ROCCA BM, PIERRI CL, POLIZIO F, STIPANI I, DESIDERI A  
MOLECULAR MEMBRANE BIOLOGY, 2008 vol. 25, p. 236-244

Screening of EDA1 gene in X-linked anhidrotic ectodermal dysplasia using DHPLC: identification of 14 novel mutations in Italian patients.

CONTE C, GAMBARDELLA S, BULLI C, RINALDI F, DI MARINO D, FALCONI M, BRAMANTI P, DESIDERI A, NOVELLI G

GENETIC TESTING, 2008 vol. 12, p. 437-442

MD simulations of papillomavirus DNA-E2 protein complexes hints at a protein structural code for DNA deformation.

FALCONI M, OTERI F, ELISEO T, CICERO DO, DESIDERI A  
BIOPHYSICAL JOURNAL, (2008). vol. 95, p. 1108-1117

## 2007

The open state of human topoisomerase I as probed by molecular dynamics simulation.

Chillemi G, Bruselles A, Fiorani P, Bueno S, Desideri A.

Nucleic Acids Res. 2007;35(9):3032-8.

Dynamic changes in gene expression profiles of 22q11 and related orthologous genes during mouse development.

Amati F, Biancolella M, Farcomeni A, Giallonardi S, Bueno S, Minella D, Vecchione L, Chillemi G, Desideri A, Novelli G.

Gene. 2007 391(1-2):91-102

Molecular dynamics of the DNA-binding domain of the papillomavirus E2 transcriptional regulator uncover differential properties for DNA target accommodation.

Falconi M, Santolamazza A, Eliseo T, de Prat-Gay G, Cicero DO, Desideri A.

FEBS J. 2007 274:2385-95

Molecular dynamics simulation of human LOX-1 provides an explanation for the lack of OxLDL binding to the Trp150Ala mutant. B

FALCONI M, BIOCCA S, NOVELLI G, DESIDERI A

BMC Struct Biol. 2007 Nov 7;7:73.

Valproic acid induces neuroendocrine differentiation and UGT2B7 up-regulation in human prostate carcinoma cell line.

VALENTINI A, BIANCOLELLA M, AMATI F, GRAVINA P, MIANO R, CHILLEM I G, FARCOMEN I A, BUENO S, VESPASIANI G, DESIDERI A, FEDERICI G, NOVELLI G, BERNARDINI S

DRUG METABOLISM AND DISPOSITION, (2007) vol. 35, p. 968-972,

Effects of dutasteride on the expression of genes related to androgen metabolism and related pathway in human prostate cancer cell lines..

Biancolella M, Valentini A, Minella D, Vecchione L, D'Amico F, Chillemi G, Gravina P, Bueno S, Prosperini G, Desideri A, Federici G, Bernardini S, Novelli G.

INVESTIGATIONAL NEW DRUGS, (2007) v.ol. 25, p. 491-497